

E
S.D. Official Letters must be addressed to the Commissioner of the General Land Office and, in replying to J.C.
Letters from the office, the initial letter on the left hand corner should be referred to.

Department of the Interior
GENERAL LAND OFFICE

Washington, D.C. January 24th 1876

To the Auditor of State
Indianapolis -
Indiana -

Sir:

I transmit, herewith, to be filed with
the Indiana surveying archives, the original field notes and
plats of the survey of the lands embraced within the meanders
of Lakes Wolf and George in Tps 37 N. Rs 9 and 10 W. and Tps.
38 N. R. 10 W. 2nd P.M. Indiana - executed by Alexander Wolcott,
D.S. under instructions from this office dated October 23, 1875.

Please acknowledge the receipt hereof -

Very respectfully
S. L. H. [Signature]
Acting Commissioner

Description of the Land, Timber, &c. on the Interior Sectional Lines.

Quality of the Soil, Timber, &c. on the Township Lines.

East Boundary.	Sec. 36	
	25	
	24	
	13	
	12	
	1	
South Boundary.	Sec. 36	
	35	
	34	
	33	
	32	
	31	
	35, 36,	
	25, 36,	
	25, 26,	
	24, 25,	
	23, 24,	
	13, 24,	
	13, 14,	
	12, 13,	
	11, 12,	
	1, 12,	
	1, 2,	
	34, 35,	
	26, 35,	
	26, 27,	
	23, 26,	
	22, 23,	
	14, 23,	
	14, 15,	
	11, 14,	
	10, 11,	
	2, 11,	
	2, 3,	
	33, 34,	
	27, 34,	
	27, 28,	
	22, 27,	
	21, 22,	
	15, 22,	
	15, 16,	
	10, 15,	
	9, 10,	
	3, 10,	
	3, 4,	
	32, 33,	
	28, 33,	
	28, 29,	
	21, 28,	
	20, 21,	
	16, 21,	
	16, 17,	
	9, 16,	
	8, 9,	
	4, 9,	
	4, 5,	
	31, 32,	
	29, 32,	
	30, 31,	
	29, 30,	
	20, 29,	
	19, 30,	
	19, 20,	
	17, 20,	
	18, 19,	
	17, 18,	
	8, 17,	
	7, 18,	
	7, 8,	
	5, 8,	
	6, 7,	
	5, 6,	

*Meandered Posts on
S. Michigan & S. Main L.*

Posts.	Bearing Trees.	Inches diam'r.	Courses they bear.	Links distant
1	S. Oak	12	N. 10° W. 8.21	
	50	10	S. 45° W. 5.17	
2	S. Oak	11	S. 49° E. 1.94	
3	Aspen	9	N. 18° E. 1.40	
	50	9	S. 29° E. 4.11	
4	S. Oak	6	N. 50° W. 4.11	
	Aspen	6	S. 82° W. 2.9	
5	Aspen	6	N. 75° W. 1.57	
	50	4	N. 21° W. 1.50	
6				
7				
8				
9				
10				
11				
12				
13				
14				
15				
16				
17				
18				
19				
20				
21				
22				
23				
24				
25				
26				
27				
28				
29				
30				
31				
32				
33				
34				
35				
36				
37				

The figures in this column refer to the Posts numbered in red ink on the Plate.

Exterior Section and Quarter Section Corners Described.

Interior Quarter Section Corners Described.

Posts.	Bearing Trees.	Inches diam'r.	Courses they bear.	Links distant.	Posts.	Bearing Trees.	Inches diam'r.	Courses they bear.	Links distant.	Qr. Sec. Posts on the Lines.	Bearing Trees.	Inches diam'r.	Courses they bear.	Links distant.	Qr. Sec. Posts on the Lines.	Bearing Trees.	Inches diam'r.	Courses they bear.	Links distant.
<i>A</i>					<i>u</i>					<i>M</i> to <i>U</i> at 1					<i>P</i> to <i>E</i> at 1				
<i>a</i>					<i>v</i>					2					2				
<i>B</i>					<i>w</i>					3					3				
<i>b</i>					<i>W</i>					4					4				
<i>C</i>					<i>x</i>					5					5				
<i>c</i>					<i>X</i>					6					6				
<i>D</i>					<i>y</i>					<i>L</i> to <i>V</i> at 1					<i>Q</i> to <i>D</i> at 1				
<i>d</i>										2					2				
<i>E</i>										3					3				
<i>e</i>										4					4				
<i>F</i>										5					5				
<i>f</i>										6					6				
<i>G</i>										<i>K</i> to <i>W</i> at 1					<i>R</i> to <i>C</i> at 1				
<i>g</i>										2					2				
<i>H</i>										3					3				
<i>h</i>										4					4				
<i>I</i>										5					5				
<i>i</i>										6					6				
<i>K</i>										<i>F</i> to <i>X</i> at 1					<i>S</i> to <i>B</i> at 1				
<i>k</i>										2					2				
<i>L</i>										3					3				
<i>l</i>										4					4				
<i>M</i>										5					5				
<i>m</i>										6					6				
<i>N</i>										<i>H</i> to <i>V</i> at 1									
<i>n</i>										2					2				
<i>o</i>										3					3				
<i>o</i>										4					4				
<i>P</i>										5					5				
<i>p</i>										6					6				
<i>Q</i>										<i>O</i> to <i>F</i> at 1									
<i>q</i>										2					2				
<i>R</i>										3					3				
<i>r</i>										4					4				
<i>S</i>										5					5				
<i>s</i>										6					6				
<i>T</i>																			
<i>t</i>																			
<i>U</i>																			

Interior Section Corners Described.

Corners of Sections. Bearing Trees. Inches diam'r. Courses they bear. Links distant.

25, 26, 35, 36,

23, 24, 25, 26,

13, 14, 23, 24,

11, 12, 13, 14,

1, 2, 11, 12,

26, 27, 34, 35,

22, 23, 26, 27,

14, 15, 22, 23,

10, 11, 14, 15,

2, 3, 10, 11,

27, 28, 33, 34,

21, 22, 27, 28,

15, 16, 21, 22,

9, 10, 15, 16,

3, 4, 9, 10,

28, 29, 32, 33,

20, 21, 28, 29,

16, 17, 20, 21,

8, 9, 16, 17,

4, 5, 8, 9,

29, 30, 31, 32,

19, 20, 29, 30,

17, 18, 19, 20,

7, 8, 17, 18,

5, 6, 7, 8,

Y. Ann 7 1866 4.13
McLew 3 1866 127


Post in Beaver Dam.

Township N^o 38 N.

Range N.º 10 West

2nd Mer: Ind^a.

N. W. Corner of Indiana.




Surveyed in 1836 by Andrew Burnside, Deputy Surveyor.

*I certify that the above is a true copy of the
Original plat in this Office.*

Surveyor General's Office.
Detroit Nov. 1. 1849

G *f* *F* *e* *E* *d* *D* *c* *C* *b* *B* *a* *A*

[illegible]

Surveys Designated	By Whom Surveyed	Date of Contract	Amount of Surveys	When Surveyed
Township lines	<i>Alfred Walcott</i>	<i>October 23rd 1875</i>	<i>M. Cr. Lk.</i>	<i>November 1875</i>
Subdivisions	<i>do</i>	<i>"</i>	<i>"</i>	<i>"</i>

The above Map of Township N^o 35 North of Range N^o 10 West of the Second Meridian Indiana is strictly conformable to the field notes of the survey thereof on file in this Office, which have been examined and approved.

General Land
Indiana General Office
January 12 1876 } D. Smart
 Com^r or offic^y Sur^t Gen^l of Indiana